



ANTEGO

Antego offers everything you expect from an outdoor umbrella. Its operating system allows you to easily move and tilt your umbrella in any desired direction. This outdoor umbrella is developed to complement any outdoor area and give the protection you need all summer long.



300 x 200 cm



300 x 300 cm



ø 350 cm

- ✓ Full aluminium frame.
- ✓ Tilt in height.
- ✓ Tilt left and right.
- ✓ Rotate 360° around its pole.

- FRAME** Free pole umbrella with crank handle. Pole & ribs are aluminium powder coated. Pole profile: 90 x 65 x 2,5 mm, 3,5 x 2,5 x 0,1". Ribs profile: 28 x 14 x 1,2 mm, 1,1 x 0,5 x 0,04".
- CANOPY** 270g/m², 100% solution dyed acrylic.
- TILT** Tilt in height, left and right and rotate 360° around its pole.
- WIND SPEED** 39 km/h, 24.2 mph - Maximum wind speed to which the umbrella may be exposed.

360°



jardinico[®]

FRAME



A01 white A03 linen A12 alu teak A14 lava A30 anthracite A32 black

CANOPY




C001 natural C010 latte C101 cloud C106 gris nature C204 night C208 black C211 steel C212 gasoline C301 taupe C304 walnut

200 X 300 CM

300 X 200 CM



Weight net Weight gross Packaging CBM / CCF

UMANT UMBRELLA FRAME & CANOPY 26 kg - 57.3 lbs 30 kg - 66.1 lbs 267 x 42 x 18.5 cm, 0.2 cbm



300 X 200 CM

A	275 cm - 108.3"
B	203 cm - 79.9"
C	262 cm - 103.1"
D	280 cm - 110"
E	130 cm - 51.2"
F	300 cm - 118.1"



FRAME



A01 white A03 linen A12 alu teak A14 lava A30 anthracite A32 black

CANOPY



C001 natural C010 latte C101 cloud C106 gris nature C204 night C208 black C211 steel C212 gasoline C301 taupe C304 walnut

300 X 300 CM

300 X 300 CM

Weight net

Weight gross


Packaging CBM / CCF

UMANT UMBRELLA FRAME & CANOPY

28 kg - 61.7 lbs



32 kg - 70.5 lbs

267 x 42 x 18.5 cm, 0.2 cbm



300 X 300 CM

A	375 cm - 147.6"
B	203 cm - 79.9"
C	262 cm - 103.1"
D	355 cm - 139.8"
E	130 cm - 51.2"
F	300 cm - 118.1"



FRAME



A01 white A03 linen A12 alu teak A14 lava A30 anthracite A32 black

CANOPY



C001 natural C010 latte C101 cloud C106 gris nature C204 night C208 black C211 steel C212 gasoline C301 taupe C304 walnut

∅ 350 CM

∅ 350 CM

Weight net

Weight gross


Packaging CBM / CCF

UMANT UMBRELLA FRAME & CANOPY

27 kg - 59.5 lbs


31 kg - 68.3 lbs

267 x 42 x 18.5 cm, 0.2 cbm



∅ 350 CM

A	427 cm - 168.1"
B	188 cm - 74"
C	261 cm - 102.8"
D	441 cm - 173.6"
E	130 cm - 51.2"
F	375 cm - 92.5"



BASES

SILK GREY GRANITE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125CA-0G4 BASE	125 kg - 276 lbs	130 kg - 286 lbs	94 x 94 x 18 cm
UBANT-EW60-G04 2 HALF TILES	60 kg - 132 lbs	62 kg - 136 lbs	94 x 94 x 10 cm



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G04 light grey granite, bush hammered

92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G04 light grey granite, bush hammered
2x 30 kg, 2x 66 bs

BLACK GRANITE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125-G32 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G32 black granite, bush hammered

SANDSTONE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125-G13 BASE	125 kg - 276 lbs	132 kg - 291 lbs	92.5 x 92.5 x 17.5 cm



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G13 sandblasted finish

CONCRETE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125-B01 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UBANT-125-B03 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UBANT-125-B32 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

B01 white, **B03** linen, **B32** black

BASES

IN GROUND BASE

Weight net

Weight gross

UBIGB-FP-5G-MEDIUM

5.7 kg - 12.6 lbs

8.5 kg - 18.7 lbs



ø 14.5 x 50 cm
ø 5.7 x 19.8"

steel

ON GROUND BASE

Weight net

Weight gross

UBOGB-FP-5G-MEDIUM

7.5 kg - 16.5 lbs

9 kg - 19.8 lbs



ø 17 x 1.2 cm
ø 6.7 x 0.5"


steel

PROTECTION & LUNA LED LIGHT

PROTECTION COVER

We suggest to always use the protection cover to protect your outdoor umbrella from poor weather conditions or when not in use during the summer. The stain resistant and water repellent cover will extend their life for you to enjoy your umbrella whenever you like.

To enhance the durability and appearance, we recommend following our care instructions regularly.


Ref.	Colour	Swatch	About this fabric
X75	Grey		100% solution dyed polyester with PU coating



LUNA LED LIGHT

You create a warm glow by adding this outdoor umbrella light to the built-in holder on the frame. Luna LED light is wireless with 16 LEDs and gives a warm colour. Using the BT speaker, the module will play music for six to ten hours.

Colour: grey
Light: LED warm light



MAINTENANCE

To enhance the durability and appearance, we recommend following our care instructions regularly.

The umbrella should never be used in strong wind or rainy conditions. An open umbrella should never be left unattended. The umbrella should be protected against blurring or damage by using its protection cover. The protection cover can be placed over the umbrella and pole. Store the umbrella in a dry place when not in use.

Before use, you can apply an invisible film to make the canopy stain and water repellent by using a textile protector. Clean the aluminium frame with a damp cloth, mild soap and water. Do not use any sharp tool to avoid scratches. You can maintain and clean your canopy by following a few simple steps:

- Brush off loose dirt before it becomes embedded in the fabric.
- Hose down.
- Spot clean soon after stains occur with water and mild soap or textile cleaner (no detergents). Use a soft bristle brush to clean.
- Allow soap to soak in.
- Rinse thoroughly.
- Always let the canopy air dry completely before storing or covering.

Machine wash in cold water. Depending on wash load size, use normal amounts of mild laundry detergent and add 1 cup of bleach. Allow fabric to air dry.



Maintenance set:
2 scrubbing sets
3 application cloths
Textile protector 750 ml
Textile cleaner 750 ml



MADE FOR **SHADE &**
OUTDOOR LIVING.

www.jardinico.com